



CRE71 Anti-glare LED Linear Light

-Slim and exquisite lighting solution

CRE71 LED linear light is specially designed for high-end office, hotel and restaurant. As a main office lighting fixtures, we are trying to make it become a common product, but it's unique. Smooth and linear body structure with thin end cap gets balance of slim and exquisite. The Optical system enlarges the lighting-emitting surface to ensure optimum visual comfort. You can select the suspending or ceiling mounted installation according the application.

Benefits

- The Optical system enlarges the lighting-emitting surface to ensure optimum visual comfort.
- Allows dozens of luminaires to be connected in a line arrangement, + arrangement, □ arrangement.


Application

Office, Hotel, Restaurant, Bar, Retail


Specification

Model	CRE71030, CRE71040	LED	Middle power , 3030
Power	30W, 40W	Operating temperature range	+10 < Ta < 40°C
Input	AC1000-240V	Beam angle	15°, 30°, 45°
Material	Housing:6061 aluminum, Diffuser cover: PC	CCT	3000K , 4000K , 5000K,
IP grade	IP20	CRI	Ra>80
Color	White , black	PF	>0.93
Finish	Powder Painting	Dimming mode	0-10V,Dali,2.4G optional
Driver	integrated	L70	30000h@25°C
Installation	Suspending , Ceiling mounted	Warranty	3 years

Dimensional drawing




Photometric data








Arrangement:

1. Seamless splicing



2. Other types





General information

Model ¹	Order code	Product name	Power	Lumen	CCT	CRI ²	Install ³
CRE71030	1-146-00251	CRE71 LED linear light	30W	2700lm	6000K	Ra>80	Suspending
	1-145-00251	CRE71 LED linear light	30W	2700lm	5000K	Ra>80	Suspending
	1-144-00251	CRE71 LED linear light	30W	2700lm	4000K	Ra>80	Suspending
	1-143-00251	CRE71 LED linear light	30W	2700lm	3000K	Ra>80	Suspending
CRE71040U	1-146-00256	CRE71 LED linear light	30+10W	3600lm	6000K	Ra>80	Suspending
	1-145-00256	CRE71 LED linear light	30+10W	3600lm	5000K	Ra>80	Suspending
	1-144-00256	CRE71 LED linear light	30+10W	3600lm	4000K	Ra>80	Suspending
	1-143-00256	CRE71 LED linear light	30+10W	3600lm	3000K	Ra>80	Suspending

¹ Due to space limitations , only single product information listed here, if need continuous row systems, please contact us

² Due to space limitations , only Ra>80 product information listed here, if need Ra>90,please contact us

³ Due to space limitations , only suspending product information listed here, if need recessed, please contact us

Shanghai Inlity Lighting Electronics Co., Ltd

www.inlity.com

TEL : +86-21-37620335/6/7/8

FAX : +86-21-37620339