

PDX4 Round Clear Pendant Light

-Slim, Pure and Clear light

PDX4 round clear pendant light combine the round and transparent to create a perfect lighting effect. Transparent makes the luminaire form hidden, return the space back to the architecture completely, so that more free for interior design; round as a very important element of modern architecture,PDX4 round clear pendant light integrated into the architecture perfectly. While light the panel light, the almost magical metamorphosis of the transparent optics into a light-emitting surface has happened, which bathes the room in light of unexpected .Soft glarefree light create a pleasant atmosphere, Soft and dynamic light create a unique experience.

- Technology Combines LED technology and Nano PMMA plate
- Profile Ultrathin modern style, Both frame and panels are super simple style
- Optics Up-down half-half lighting. Upward light reflected by ceiling could provide soft ambient light to room which would reduce eye weariness.
- Anti-glare Light-emitting area is 10 times more than tube, and the brightness of luminaire surface is much lower. Special treatments has been done on the sides of LGP, no light leak, no glare.
- Dimming Stepless dimming color and bright, Memories scene

Application


Office, Meeting Room, Coffee Bar, Tea Bar, Restaurant



Specification

Model	PDX45024	LED	Middle power, 2835
Power	24W	Optical	Nano light guide plate
consumption			
Input	AC100-240V	Beam	360°
		angle	
Material	Housing:6063 aluminum, PMMA	CCT	3000-6000K
IP grade	IP20	CRI	Ra>80
Color	Silver grey	PF	>0.93
Finish	anodizing	Driver	integrated
		installation	
Installation	suspending	L70	30000h@25°C
Operating	-20 < Ta < 40°C	Warranty	3years
temperature			

Dimensional drawing





2017, Oct.. 11th Data subject to change

Accessory

Remote-Controller



General information

Model	Order code	Product name	Power	Lumen	ССТ	CRI ¹	Install
PDX45024	114C00206	PDX4 Round clear	24W	1920lm	3000-6000K	Ra>80	suspending
		pendant light					

1 Only Ra>80 product information listed here, if need Ra>90, please contact us

Shanghai Inlity Lighting Electronics Co., Ltd www.inlity.com TEL: +86-21-37620335/6/7/8 FAX: +86-21-37620339



2017, Oct.. 11th Data subject to change