



WMX3 wall-mounted light

- Slim , Pure and Clear light

WMX3 wall-mounted light design from optical and aesthetic view. The transparent acrylic as light carrier, while light the panel light, the almost magical metamorphosis of the transparent optics into a light-emitting surface has happened, nanoparticles make the acrylic into a soft light. Application of light guide technology makes WMX3 series provide adequate vertical illuminance for dressing. The minimalist lines match the modern home perfect; cleverly installation design allows the luminaire and the mounting surface seamless fit.

- **Technology** Combines LED technology and Nano PMMA plate
- **Profile** Ultrathin modern style, the thickness is only 46mm (include driver). Both frame and panels are super simple style
- **Optics** provide adequate vertical illuminance for dressing.
- **Anti-glare** Light-emitting area is 10 times more than tube, and the brightness of luminaire surface is much lower. Special treatments has been done on the sides of LGP, no light leak, no glare.

Application


Bathroom , Bedroom , Washroom

Specification

Model	WMX36010 , WMX39014 , WMX30018	LED	Middle power , 2835
Power consumption	10W , 14W , 18W	Optical	Nano light guide plate
Input	AC100-240V	Beam angle	360°
Material	Housing:6063 aluminum, Optic: PMMA	CCT	3000K , 4000K , 5000K , 6000K
IP grade	IP44	CRI	Ra>80
Color	Silver grey	PF	>0.93
Finish	Oil painting	Driver installation	Integrated
Installation	Wall-mounted	L70	30000h@25°C
Operation temperature range	-20 < Ta < 40°C	Warranty	3years

Dimensional drawing





General information

Model	Order code	Product name	Power	Lumen	CCT	CRI ¹	Install
WMX36010	114300211	WMX3 透明壁灯	10W	750lm	3000K	Ra>80	壁装
	114500211	WMX3 透明壁灯	10W	800lm	5000K	Ra>80	壁装
WMX39014	114300212	WMX3 透明壁灯	14W	1050lm	3000K	Ra>80	壁装
	114500212	WMX3 透明壁灯	14W	1120lm	5000K	Ra>80	壁装
WMX30018	114300213	WMX3 透明壁灯	18W	1350lm	3000K	Ra>80	壁装
	114500213	WMX3 透明壁灯	18W	1440lm	5000K	Ra>80	壁装

¹ Only Ra>80 product information listed here, if need Ra>90, please contact us

Shanghai Inlity Lighting Electronics Co., Ltd

www.inlity.com

TEL : +86-21-37620335/6/7/8

FAX : +86-21-37620339